Pain 127 (2007) 305–307

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 127 (2007)

Altis, K., see Schmidtko, A., **127** 287
Anand, K.J.S., see Boyle, E.M., **127** 302
Angioni, C., see Schmidtko, A., **127** 287
Ashworth, P., see Naughton, F., **127** 243
Asmundson, G.J.G., see McWilliams, L.A., **127** 27
Attal, N., see Bennett, M.I., **127** 199

Backonja, M.M., see Bennett, M.I., **127** 199
Baron, R., see Bennett, M.I., **127** 199
Bender, S., Weisbrod, M., Resch, F., Oelkers-Ax, R., Stereotyped topography of different elevated contingent negative variation components in children with migraine without aura points towards a subcortical dysfunction, **127** 221
Bennett, M.I., Attal, N., Backonja, M.M., Baron, R., Bouhassira, D., Freynhagen, R., Scholz, J., Tölle, T.R., Wittchen, H.-U., Jensen, T.S., Using screening tools to identify neuropathic pain, **127** 199
Beyene, J., see Stevens, B., **127** 94
Biggs, C., see Kimos, P., **127** 151
Blackburn-Munro, G., see Pedersen, L.H., **127** 17
Bouhassira, D., see Bennett, M.I., **127** 199
Boyle, E.M., Freer, Y., Wong, C.M., McIntosh, N., Anand, K.J.S., Response to PAIN Editorial re: Boyle et al. (2006), **127** 302
Breau, L., see Stevens, B., **127** 94
Buenaver, L.F., Edwards, R.R., Haythornthwaite, J.A., Pain-related catastrophizing and perceived social responses: Inter-relationships in the context of chronic pain, **127** 234
Burian, M., see Schmidtko, A., **127** 287

Cahill, C.M., see Kabli, N., **127** 84
Camfield, C., see Stevens, B., **127** 94
Carr, R.W., see Jørum, E., **127** 296
Chang, C.-J., see Chao, A.-S., **127** 214
Chang, S.-D., see Chao, A.-S., **127** 214
Chang, Y.-C., see Chao, A.-S., **127** 214
Chao, A., see Chao, A.-S., **127** 214
Chao, A., see Chao, A.-S., **127** 214
Chao, A.-S., Chao, A., Wang, T.-H., Chang, Y.-C., Peng, H.-H., Chang, S.-D., Chao, A., Chang, C.-J., Lai, C.-H., Wong, A.M.K., Pain relief by applying transcutaneous electrical nerve stimulation (TENS) on acupuncture points during the first stage of labor: A randomized double-blind placebo-controlled trial, **127** 214
Christie, A., see Strand, E.B., **127** 204
Coldrick, A.R., see Tucker, A.T., **127** 263
Cooke, E.D., see Tucker, A.T., **127** 263
Costes, N., see Maarrawi, J., **127** 183
Craggs, J., see Price, D.D., **127** 63
Crombez, G., see Vangronsveld, K., **127** 121
Cutter, G., see Hadjimichael, O., **127** 35

Damme, S.V., see Vangronsveld, K., **127** 121
Dewey, W.L., see Smith, F.L., **127** 129

Edwards, R.R., see Buenaver, L.F., **127** 234
Ehde, D.M., see Osborne, T.L., **127** 52
Evans, R.T., see French, D.J., **127** 42

Filipovic, S.R., see Turton, A.J., **127** 270
Finley, A., see Stevens, B., **127** 94
Finset, A., see Strand, E.B., **127** 204
France, C.R., see French, D.J., **127** 42
Franck, L., see Stevens, B., **127** 94
Freer, Y., see Boyle, E.M., **127** 302
French, D.J., France, C.R., Vigneau, F., French, J.A., Evans, R.T., Fear of movement/(re)injury in chronic pain: A psychometric assessment of the original english version of the Tampa scale for kinesiophobia (TSK), **127** 42
French, J.A., see French, D.J., **127** 42
Freynhagen, R., see Bennett, M.I., **127** 199

Gabra, B.H., see Smith, F.L., **127** 129
Garcia-Larrea, L., see Maarrawi, J., **127** 183
Geisslinger, G., see Schmidtko, A., **127** 287
Gibbins, S., see Stevens, B., **127** 94
Goossens, M., see Vangronsveld, K., **127** 121
Guo, J., see Peng, B., **127** 11

Haavik-Nilsen, K., see Strand, E.B., **127** 204
Hadjimichael, O., Kerns, R.D., Rizzo, M.A., Cutter, G., Vollmer, T., Persistent pain and uncomfortable sensations in persons with multiple sclerosis, **127** 35
Han, Y., see Yang, Y.-R., **127** 109
Handwerker, H., see Jørum, E., **127** 296
Hanley, M.A., see Osborne, T.L., **127** 52
Hardt, K., see Schmidtko, A., **127** 287
Harris, N., see Turton, A.J., **127** 270
Haythornthwaite, J.A., see Buenaver, L.F., **127** 234
He, Y., see Yang, Y.-R., **127** 109
Heinricher, M.M., see Xu, M., **127** 253
Henderson, M., see Tucker, A.T., **127** 263
Heo, G., see Kimos, P., **127** 151
Hilliges, M., see Jørum, E., **127** 296
Holtzman, S., see Turner, J.A., **127** 276
Howlett, A., see Stevens, B., **127** 94

Ikeda, R., Takahashi, Y., Inoue, K., Kato, F., NMDA receptor-independent synaptic plasticity in the central amygdala in the rat model of neuropathic pain, **127** 161
Inoue, K., see Ikeda, R., **127** 161

doi:10.1016/S0304-3959(06)00705-6

Jensen, M.P., see Osborne, T.L., **127** 52
Jensen, T.S., see Bennett, M.I., **127** 199
Jensen, T.S., Pulsed radiofrequency: A novel treatment for chronic cervical radicular pain?, **127** 3
Johnston, C., see Stevens, B., **127** 94
Jørum, E., Ørstavik, K., Schmidt, R., Namer, B., Carr, R.W., Kvarstein, G., Hilliges, M., Handwerker, H., Torebjörk, E., Schmelz, M., Catecholamine-induced excitation of nociceptors in sympathetically maintained pain, **127** 296

Kabli, N., Cahill, C.M., Anti-allodynic effects of peripheral delta opioid receptors in neuropathic pain, **127** 84
Kato, F., see Ikeda, R., **127** 161
Keefe, F.J., see Morley, S., **127** 197
Kerns, R.D., see Hadjimichael, O., **127** 35
Kerns, R.D., see Strand, E.B., **127** 204
Kessels, A., see Van Zundert, J., **127** 173
Kidd, B.L., see Tucker, A.T., **127** 263
Kim, C.J., see Xu, M., **127** 253
Kimos, P., Biggs, C., Mah, J., Heo, G., Rashiq, S., Thie, N.M.R., Major, P.W., Analgesic action of gabapentin on chronic pain in the masticatory muscles: A randomized controlled trial, **127** 151
Klinger, R., see Kothe, R., **127** 103
Klink, T., see Kothe, R., **127** 103
Klokkerud, M., see Strand, E.B., **127** 204
Kohlmann, Th., see Kothe, R., **127** 103
Kosek, E., see Tucker, A.T., **127** 263
Kothe, R., Kohlmann, Th., Klink, T., Rüther, W., Klinger, R., Impact of low back pain on functional limitations, depressed mood and quality of life in patients with rheumatoid arthritis, **127** 103
Kraft, G., see Osborne, T.L., **127** 52
Kvarstein, G., see Jørum, E., **127** 296

Lai, C.-H., see Chao, A.-S., **127** 214
Lamé, I., see Van Zundert, J., **127** 173
Laurent, B., see Maarrawi, J., **127** 183
Li, Y., see Yang, Y.-R., **127** 109
Li, Y., see Yang, Y.-R., **127** 109
Li, Z., see Peng, B., **127** 11

Maarrawi, J., Peyron, R., Mertens, P., Costes, N., Magnin, M., Sindou, M., Laurent, B., Garcia-Larrea, L., Differential brain opioid receptor availability in central and peripheral neuropathic pain, **127** 183
Macfarlane, G.J., see Smith, B.H., **127** 5
Magnin, M., see Maarrawi, J., **127** 183
Mah, J., see Kimos, P., **127** 151
Major, P.W., see Kimos, P., **127** 151
Mancl, L., see Turner, J.A., **127** 276
McCabe, C.S., see Turton, A.J., **127** 270
McGrath, P., see Stevens, B., **127** 94
McIntosh, N., see Boyle, E.M., **127** 302
McKeever, P., see Stevens, B., **127** 94
McWilliams, L.A., Asmundson, G.J.G., The relationship of adult attachment dimensions to pain-related fear, hypervigilance, and catastrophizing, **127** 27
Mertens, P., see Maarrawi, J., **127** 183
Mitchell, J., see Wang, S.-Y., **127** 73
Morley, S., Keefe, F.J., Getting a handle on process and change in CBT for chronic pain, **127** 197

Namer, B., see Jørum, E., **127** 296
Naughton, F., Ashworth, P., Skevington, S.M., Does sleep quality predict pain-related disability in chronic pain patients? The mediating roles of depression and pain severity, **127** 243
Neubert, M.J., see Xu, M., **127** 253
Neugebauer, V., The amygdala: Different pains, different mechanisms, **127** 1
Nicholas Verne, G., see Price, D.D., **127** 63

Oelkers-Ax, R., see Bender, S., **127** 221
Ohlsson, A., see Stevens, B., **127** 94
O'Brien, K., see Stevens, B., **127** 94
Ørstavik, K., see Jørum, E., **127** 296
Osborne, T.L., Jensen, M.P., Ehde, D.M., Hanley, M.A., Kraft, G., Psychosocial factors associated with pain intensity, pain-related interference, and psychological functioning in persons with multiple sclerosis and pain, **127** 52

Patijn, J., see Van Zundert, J., **127** 173
Pearson, R.M., see Tucker, A.T., **127** 263
Pedersen, L.H., Scheel-Krüger, J., Blackburn-Munro, G., Amygdala GABA-A receptor involvement in mediating sensory-discriminative and affective-motivational pain responses in a rat model of peripheral nerve injury, **127** 17
Peng, B., Wu, W., Li, Z., Guo, J., Wang, X., Chemical radiculitis, **127** 11
Peng, H.-H., see Chao, A.-S., **127** 214
Perlstein, W.M., see Price, D.D., **127** 63
Peters, M., see Vangronsveld, K., **127** 121
Peyron, R., see Maarrawi, J., **127** 183
Pillai Riddell, R.R., Stevens, B.J., Response to Letter to the Editor by Boyle, Freer, Wong, McIntosh and Anand, **127** 302
Podda, M., see Schmidtko, A., **127** 287
Price, D.D., Response to letter by Sharav and Tal, **127** 195
Price, D.D., Craggs, J., Nicholas Verne, G., Perlstein, W.M., Robinson, M.E., Placebo analgesia is accompanied by large reductions in pain-related brain activity in irritable bowel syndrome patients, **127** 63

Rashiq, S., see Kimos, P., **127** 151
Redwood, M.C., see Smith, F.L., **127** 129
Resch, F., see Bender, S., **127** 221
Rizzo, M.A., see Hadjimichael, O., **127** 35
Robinson, M.E., see Price, D.D., **127** 63
Rüther, W., see Kothe, R., **127** 103

Scheel-Krüger, J., see Pedersen, L.H., **127** 17
Schmelz, M., see Jørum, E., **127** 296
Schmidt, R., see Jørum, E., **127** 296
Schmidt, R., see Schmidtko, A., **127** 287
Schmidtko, A., Burian, M., Altis, K., Hardt, K., Angioni, C., Schmidt, R., Podda, M., Geisslinger, G., Pharmacological and histopathological characterization of a hyperalgesia model induced by freeze lesion, **127** 287
Scholz, J., see Bennett, M.I., **127** 199
Sharav, Y., Tal, M.and Price, D.D., Response to Editorial on Sharav and Tal (2006), **127** 195
Sindou, M., see Maarrawi, J., **127** 183
Skevington, S.M., see Naughton, F., **127** 243
Smith, B.H., Macfarlane, G.J., Torrance, N., Epidemiology of chronic pain, from the laboratory to the bus stop: time to add understanding of biological mechanisms to the study of risk factors in population-based research?, **127** 5
Smith, F.L., Gabra, B.H., Smith, P.A., Redwood, M.C., Dewey, W.L., Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice, **127** 129
Smith, P.A., see Smith, F.L., **127** 129
Spagrud, L.J., see von Baeyer, C.L., **127** 140
Stevens, B., McGrath, P., Gibbins, S., Beyene, J., Breau, L., Camfield, C., Finley, A., Franck, L., Howlett, A., Johnston, C., McKeever, P., O'Brien, K., Ohlsson, A., Yamada, J., Determining behavioural and physiological responses to pain in infants at risk for neurological impairment, **127** 94
Stevens, B.J., see Pillai Riddell, R.R., **127** 302
Strand, E.B., Kerns, R.D., Christie, A., Haavik-Nilsen, K., Klokkerud, M., Finset, A., Higher levels of pain readiness to

change and more positive affect reduce pain reports – A weekly assessment study on arthritis patients, **127** 204

Takahashi, Y., see Ikeda, R., **127** 161
Tal, M., see Sharav, Y., **127** 195
Thie, N.M.R., see Kimos, P., **127** 151
Tölle, T.R., see Bennett, M.I., **127** 199
Torebjörk, E., see Jørum, E., **127** 296
Torrance, N., see Smith, B.H., **127** 5
Tucker, A.T., White, P.D., Kosek, E., Pearson, R.M., Henderson, M., Coldrick, A.R., Cooke, E.D., Kidd, B.L., Comparison of vibration perception thresholds in individuals with diffuse upper limb pain and carpal tunnel syndrome, **127** 263
Turner, J.A., Holtzman, S., Mancl, L., Mediators, moderators, and predictors of therapeutic change in cognitive–behavioral therapy for chronic pain, **127** 276
Turton, A.J., McCabe, C.S., Harris, N., Filipovic, S.R., Sensorimotor integration in Complex Regional Pain Syndrome: A transcranial magnetic stimulation study, **127** 270

van Kleef, M., see Van Zundert, J., **127** 173
van Suijlekom, H., see Van Zundert, J., **127** 173
Van Zundert, J., Patijn, J., Kessels, A., Lamé, I., van Suijlekom, H., van Kleef, M., Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: A double blind sham controlled randomized clinical trial, **127** 173
Vangronsveld, K., Damme, S.V., Peters, M., Vlaeyen, J., Goossens, M., Crombez, G., An experimental investigation on attentional interference by threatening fixations of the neck in patients with chronic whiplash syndrome, **127** 121
Vigneau, F., see French, D.J., **127** 42
Vlaeyen, J., see Vangronsveld, K., **127** 121
Vollmer, T., see Hadjimichael, O., **127** 35
von Baeyer, C.L., Spagrud, L.J., Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years, **127** 140

Wang, G.K., see Wang, S.-Y., **127** 73
Wang, S.-Y., Mitchell, J., Wang, G.K., Preferential block of inactivation-deficient Na^+ currents by capsaicin reveals a non-TRPV1 receptor within the Na^+ channel, **127** 73
Wang, T.-H., see Chao, A.-S., **127** 214
Wang, X., see Peng, B., **127** 11
Wang, Y., see Yang, Y.-R., **127** 109
Weisbrod, M., see Bender, S., **127** 221
White, P.D., see Tucker, A.T., **127** 263
Wittchen, H.-U., see Bennett, M.I., **127** 199
Wong, A.M.K., see Chao, A.-S., **127** 214
Wong, C.M., see Boyle, E.M., **127** 302
Wu, W., see Peng, B., **127** 11

Xu, M., Kim, C.J., Neubert, M.J., Heinricher, M.M., NMDA receptor-mediated activation of medullary pro-nociceptive neurons is required for secondary thermal hyperalgesia, **127** 253

Yamada, J., see Stevens, B., **127** 94
Yang, Y.-R., He, Y., Zhang, Y., Li, Y., Li, Y., Han, Y., Zhu, H., Wang, Y., Activation of cyclin-dependent kinase 5 (Cdk5) in primary sensory and dorsal horn neurons by peripheral inflammation contributes to heat hyperalgesia, **127** 109

Zhang, Y., see Yang, Y.-R., **127** 109
Zhu, H., see Yang, Y.-R., **127** 109

Pain 127 (2007) 308–312

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 127 (2007)

Acupuncture points
Pain relief by applying transcutaneous electrical nerve stimulation (TENS) on acupuncture points during the first stage of labor: A randomized double-blind placebo-controlled trial **127**, 214
Adolescents
Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years **127**, 140
Adult attachment
The relationship of adult attachment dimensions to pain-related fear, hypervigilance, and catastrophizing **127**, 27
Age factors
Stereotyped topography of different elevated contingent negative variation components in children with migraine without aura points towards a subcortical dysfunction **127**, 221
Allodynia
Amygdala GABA-A receptor involvement in mediating sensory-discriminative and affective-motivational pain responses in a rat model of peripheral nerve injury **127**, 17
Amygdala
Amygdala GABA-A receptor involvement in mediating sensory-discriminative and affective-motivational pain responses in a rat model of peripheral nerve injury **127**, 17
Amygdala
NMDA receptor-independent synaptic plasticity in the central amygdala in the rat model of neuropathic pain **127**, 161
Analgesia
Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice **127**, 129
Analgesia
Preferential block of inactivation-deficient Na^+ currents by capsaicin reveals a non-TRPV1 receptor within the Na^+ channel **127**, 73
Annular disruption
Chemical radiculitis **127**, 11
Antiepileptic agents
Analgesic action of gabapentin on chronic pain in the masticatory muscles: A randomized controlled trial **127**, 151
Antinociception
Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice **127**, 129
Anxiety
Amygdala GABA-A receptor involvement in mediating sensory-discriminative and affective-motivational pain responses in a rat model of peripheral nerve injury **127**, 17
Attentional interference
An experimental investigation on attentional interference by threatening fixations of the neck in patients with chronic whiplash syndrome **127**, 121
Behavior
Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years **127**, 140
Bicuculline
Amygdala GABA-A receptor involvement in mediating sensory-discriminative and affective-motivational pain responses in a rat model of peripheral nerve injury **127**, 17
Biopsychosocial
Psychosocial factors associated with pain intensity, pain-related interference, and psychological functioning in persons with multiple sclerosis and pain **127**, 52
Brain imaging
Placebo analgesia is accompanied by large reductions in pain-related brain activity in irritable bowel syndrome patients **127**, 63
Capsaicin
Preferential block of inactivation-deficient Na^+ currents by capsaicin reveals a non-TRPV1 receptor within the Na^+ channel **127**, 73
Carpal Tunnel syndrome
Comparison of vibration perception thresholds in individuals with diffuse upper limb pain and carpal tunnel syndrome **127**, 263
Catastrophizing
An experimental investigation on attentional interference by threatening fixations of the neck in patients with chronic whiplash syndrome **127**, 121
Catastrophizing
Psychosocial factors associated with pain intensity, pain-related interference, and psychological functioning in persons with multiple sclerosis and pain **127**, 52
Catastrophizing
The relationship of adult attachment dimensions to pain-related fear, hypervigilance, and catastrophizing **127**, 27
Catastrophizing
Pain-related catastrophizing and perceived social responses: Inter-relationships in the context of chronic pain **127**, 234
Cathecholamines
Catecholamine-induced excitation of nociceptors in sympathetically maintained pain **127**, 296
Cdk5 activation
Activation of cyclin-dependent kinase 5 (Cdk5) in primary sensory and dorsal horn neurons by peripheral inflammation contributes to heat hyperalgesia **127**, 109
Central post-stroke pain
Differential brain opioid receptor availability in central and peripheral neuropathic pain **127**, 183
Cervical radicular pain
Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: A double blind sham controlled randomized clinical trial **127**, 173
Chemical radiculitis
Chemical radiculitis **127**, 11
Children
Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years **127**, 140

doi:10.1016/S0304-3959(06)00706-8

Children
Stereotyped topography of different elevated contingent negative variation components in children with migraine without aura points towards a subcortical dysfunction **127**, 221
Chronic constriction injury
Anti-allodynic effects of peripheral delta opioid receptors in neuropathic pain **127**, 84
Chronic muscle pain
Analgesic action of gabapentin on chronic pain in the masticatory muscles: A randomized controlled trial **127**, 151
Chronic pain
Fear of movement/(re)injury in chronic pain: A psychometric assessment of the original English version of the Tampa scale for kinesiophobia (TSK) **127**, 42
Chronic pain
Impact of low back pain on functional limitations, depressed mood and quality of life in patients with rheumatoid arthritis **127**, 103
Chronic pain
Psychosocial factors associated with pain intensity, pain-related interference, and psychological functioning in persons with multiple sclerosis and pain **127**, 52
Chronic pain
Does sleep quality predict pain-related disability in chronic pain patients? The mediating roles of depression and pain severity **127**, 243
chronic pain
Higher levels of pain readiness to change and more positive affect reduce pain reports – A weekly assessment study on arthritis patients **127**, 204
chronic pain
Mediators, moderators, and predictors of therapeutic change in cognitive–behavioral therapy for chronic pain **127**, 276
chronic pain
Pain-related catastrophizing and perceived social responses: Inter-relationships in the context of chronic pain **127**, 234
Cognitive–behavioral therapy
Mediators, moderators, and predictors of therapeutic change in cognitive–behavioral therapy for chronic pain **127**, 276
Communal Coping Model
Pain-related catastrophizing and perceived social responses: Inter-relationships in the context of chronic pain **127**, 234
Complex regional pain syndrome
Sensorimotor integration in Complex Regional Pain Syndrome: A transcranial magnetic stimulation study **127**, 270
Contingent negative variation
Stereotyped topography of different elevated contingent negative variation components in children with migraine without aura points towards a subcortical dysfunction **127**, 221
Cyclooxygenase
Pharmacological and histopathological characterization of a hyperalgesia model induced by freeze lesion **127**, 287
Deltorphin II
Anti-allodynic effects of peripheral delta opioid receptors in neuropathic pain **127**, 84
Depression
Impact of low back pain on functional limitations, depressed mood and quality of life in patients with rheumatoid arthritis **127**, 103
Depression
Does sleep quality predict pain-related disability in chronic pain patients? The mediating roles of depression and pain severity **127**, 243
Descending control
NMDA receptor-mediated activation of medullary pro-nociceptive neurons is required for secondary thermal hyperalgesia **127**, 253
[^{11}C]Diprenorphine
Differential brain opioid receptor availability in central and peripheral neuropathic pain **127**, 183
Disability
Impact of low back pain on functional limitations, depressed mood and quality of life in patients with rheumatoid arthritis **127**, 103
Disability
Does sleep quality predict pain-related disability in chronic pain patients? The mediating roles of depression and pain severity **127**, 243
Discogenic low back pain
Chemical radiculitis **127**, 11
Dorsal root ganglia
Anti-allodynic effects of peripheral delta opioid receptors in neuropathic pain **127**, 84
Dorsal root ganglion
Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: A double blind sham controlled randomized clinical trial **127**, 173
DPDPE
Anti-allodynic effects of peripheral delta opioid receptors in neuropathic pain **127**, 84
Emotion
NMDA receptor-independent synaptic plasticity in the central amygdala in the rat model of neuropathic pain **127**, 161
Excitatory postsynaptic currents
NMDA receptor-independent synaptic plasticity in the central amygdala in the rat model of neuropathic pain **127**, 161
Experimental pain
Pharmacological and histopathological characterization of a hyperalgesia model induced by freeze lesion **127**, 287
Factor structure
Fear of movement/(re)injury in chronic pain: A psychometric assessment of the original English version of the Tampa scale for kinesiophobia (TSK) **127**, 42
Fear of movement
An experimental investigation on attentional interference by threatening fixations of the neck in patients with chronic whiplash syndrome **127**, 121
Fear of pain
The relationship of adult attachment dimensions to pain-related fear, hypervigilance, and catastrophizing **127**, 27
Fear-avoidance models
The relationship of adult attachment dimensions to pain-related fear, hypervigilance, and catastrophizing **127**, 27
Freeze lesion
Pharmacological and histopathological characterization of a hyperalgesia model induced by freeze lesion **127**, 287
Gabapentin
Analgesic action of gabapentin on chronic pain in the masticatory muscles: A randomized controlled trial **127**, 151
Global perceived effect
Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: A double blind sham controlled randomized clinical trial **127**, 173
Heat hyperalgesia
Activation of cyclin-dependent kinase 5 (Cdk5) in primary sensory and dorsal horn neurons by peripheral inflammation contributes to heat hyperalgesia **127**, 109
Histochemistry
Pharmacological and histopathological characterization of a hyperalgesia model induced by freeze lesion **127**, 287
Hyperalgesia
Amygdala GABA-A receptor involvement in mediating sensory-discriminative and affective-motivational pain responses in a rat model of peripheral nerve injury **127**, 17
Hyperalgesia
Catecholamine-induced excitation of nociceptors in sympathetically maintained pain **127**, 296

hyperalgesia
Pharmacological and histopathological characterization of a hyperalgesia model induced by freeze lesion **127**, 287
Inflammatory mediator
Chemical radiculitis **127**, 11
Irritable bowel syndrome
Placebo analgesia is accompanied by large reductions in pain-related brain activity in irritable bowel syndrome patients **127**, 63
Low back pain
Impact of low back pain on functional limitations, depressed mood and quality of life in patients with rheumatoid arthritis **127**, 103
Masticatory muscles
Analgesic action of gabapentin on chronic pain in the masticatory muscles: A randomized controlled trial **127**, 151
Mediation analysis
Does sleep quality predict pain-related disability in chronic pain patients? The mediating roles of depression and pain severity **127**, 243
Mediator
Mediators, moderators, and predictors of therapeutic change in cognitive–behavioral therapy for chronic pain **127**, 276
Microcirculatory blood flow
Comparison of vibration perception thresholds in individuals with diffuse upper limb pain and carpal tunnel syndrome **127**, 263
Migraine with aura
Stereotyped topography of different elevated contingent negative variation components in children with migraine without aura points towards a subcortical dysfunction **127**, 221
Migraine without aura
Stereotyped topography of different elevated contingent negative variation components in children with migraine without aura points towards a subcortical dysfunction **127**, 221
Moderator
Mediators, moderators, and predictors of therapeutic change in cognitive–behavioral therapy for chronic pain **127**, 276
Morphine
Anti-allodynic effects of peripheral delta opioid receptors in neuropathic pain **127**, 84
Morphine
Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice **127**, 129
Motor evoked potentials
Sensorimotor integration in Complex Regional Pain Syndrome: A transcranial magnetic stimulation study **127**, 270
MS-related pain
Persistent pain and uncomfortable sensations in persons with multiple sclerosis **127**, 35
Multiple sclerosis
Persistent pain and uncomfortable sensations in persons with multiple sclerosis **127**, 35
Multiple Sclerosis
Psychosocial factors associated with pain intensity, pain-related interference, and psychological functioning in persons with multiple sclerosis and pain **127**, 52
Muscimol
Amygdala GABA-A receptor involvement in mediating sensory-discriminative and affective-motivational pain responses in a rat model of peripheral nerve injury **127**, 17
Neonates
Determining behavioural and physiological responses to pain in infants at risk for neurological impairment **127**, 94
Neurological impairment
Determining behavioural and physiological responses to pain in infants at risk for neurological impairment **127**, 94
Neuropathic pain
Differential brain opioid receptor availability in central and peripheral neuropathic pain **127**, 183
Neuropathic pain
NMDA receptor-independent synaptic plasticity in the central amygdala in the rat model of neuropathic pain **127**, 161
NMDA receptor
NMDA receptor-independent synaptic plasticity in the central amygdala in the rat model of neuropathic pain **127**, 161
Nociception
Catecholamine-induced excitation of nociceptors in sympathetically maintained pain **127**, 296
Nuclear factor kappa-B
Pharmacological and histopathological characterization of a hyperalgesia model induced by freeze lesion **127**, 287
Nucleus parabrachialis
NMDA receptor-independent synaptic plasticity in the central amygdala in the rat model of neuropathic pain **127**, 161
Observation
Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years **127**, 140
On-cells
NMDA receptor-mediated activation of medullary pro-nociceptive neurons is required for secondary thermal hyperalgesia **127**, 253
Open-channel block
Preferential block of inactivation-deficient Na^+ currents by capsaicin reveals a non-TRPV1 receptor within the Na^+ channel **127**, 73
Opioid
Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice **127**, 129
Opioid receptors
Differential brain opioid receptor availability in central and peripheral neuropathic pain **127**, 183
Orofacial pain
Analgesic action of gabapentin on chronic pain in the masticatory muscles: A randomized controlled trial **127**, 151
Pain
An experimental investigation on attentional interference by threatening fixations of the neck in patients with chronic whiplash syndrome **127**, 121
Pain
Anti-allodynic effects of peripheral delta opioid receptors in neuropathic pain **127**, 84
Pain
Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice **127**, 129
Pain
Pain relief by applying transcutaneous electrical nerve stimulation (TENS) on acupuncture points during the first stage of labor: A randomized double-blind placebo-controlled trial **127**, 214
Pain
Pain-related catastrophizing and perceived social responses: Inter-relationships in the context of chronic pain **127**, 234
Pain hypersensitization
Activation of cyclin-dependent kinase 5 (Cdk5) in primary sensory and dorsal horn neurons by peripheral inflammation contributes to heat hyperalgesia **127**, 109
Pain intensity
Persistent pain and uncomfortable sensations in persons with multiple sclerosis **127**, 35
Pain intensity
Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years **127**, 140
Pain modulation
NMDA receptor-mediated activation of medullary pro-nociceptive neurons is required for secondary thermal hyperalgesia **127**, 253
Pain responses
Determining behavioural and physiological responses to pain in infants at risk for neurological impairment **127**, 94

Pain sites
Persistent pain and uncomfortable sensations in persons with multiple sclerosis **127**, 35
Painful sensations
Persistent pain and uncomfortable sensations in persons with multiple sclerosis **127**, 35
PKC
Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice **127**, 129
Place preference
Amygdala GABA-A receptor involvement in mediating sensory-discriminative and affective-motivational pain responses in a rat model of peripheral nerve injury **127**, 17
Placebo analgesia
Placebo analgesia is accompanied by large reductions in pain-related brain activity in irritable bowel syndrome patients **127**, 63
Positive affect
Higher levels of pain readiness to change and more positive affect reduce pain reports – A weekly assessment study on arthritis patients **127**, 204
Positron emission tomography
Differential brain opioid receptor availability in central and peripheral neuropathic pain **127**, 183
Predictor
Mediators, moderators, and predictors of therapeutic change in cognitive–behavioral therapy for chronic pain **127**, 276
Procedural pain
Determining behavioural and physiological responses to pain in infants at risk for neurological impairment **127**, 94
Pseudosubstrate inhibitors
Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice **127**, 129
Pulsed radiofrequency
Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: A double blind sham controlled randomized clinical trial **127**, 173
Punishing responses
Pain-related catastrophizing and perceived social responses: Inter-relationships in the context of chronic pain **127**, 234
Quality of life
Impact of low back pain on functional limitations, depressed mood and quality of life in patients with rheumatoid arthritis **127**, 103
Quality of life
Persistent pain and uncomfortable sensations in persons with multiple sclerosis **127**, 35
Randomized clinical trial
Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: A double blind sham controlled randomized clinical trial **127**, 173
Randomized control trial
Pain relief by applying transcutaneous electrical nerve stimulation (TENS) on acupuncture points during the first stage of labor: A randomized double-blind placebo-controlled trial **127**, 214
Readiness to change
Higher levels of pain readiness to change and more positive affect reduce pain reports – A weekly assessment study on arthritis patients **127**, 204
Receptors for activated C-kinase (RACK)
Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice **127**, 129
Rheumatoid arthritis
Impact of low back pain on functional limitations, depressed mood and quality of life in patients with rheumatoid arthritis **127**, 103
Rheumatoid arthritis
Higher levels of pain readiness to change and more positive affect reduce pain reports – A weekly assessment study on arthritis patients **127**, 204
Rostral ventromedial medulla
NMDA receptor-mediated activation of medullary pro-nociceptive neurons is required for secondary thermal hyperalgesia **127**, 253
Sensitisation
Catecholamine-induced excitation of nociceptors in sympathetically maintained pain **127**, 296
Sensorimotor cortex
Sensorimotor integration in Complex Regional Pain Syndrome: A transcranial magnetic stimulation study **127**, 270
Short-latency afferent inhibition
Sensorimotor integration in Complex Regional Pain Syndrome: A transcranial magnetic stimulation study **127**, 270
Skin
Pharmacological and histopathological characterization of a hyperalgesia model induced by freeze lesion **127**, 287
Sleep and rest
Does sleep quality predict pain-related disability in chronic pain patients? The mediating roles of depression and pain severity **127**, 243
Sleep quality
Does sleep quality predict pain-related disability in chronic pain patients? The mediating roles of depression and pain severity **127**, 243
Solicitous responses
Pain-related catastrophizing and perceived social responses: Inter-relationships in the context of chronic pain **127**, 234
Spurling test
Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: A double blind sham controlled randomized clinical trial **127**, 173
Sympathetically maintained pain
Catecholamine-induced excitation of nociceptors in sympathetically maintained pain **127**, 296
Systematic review
Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years **127**, 140
Tactile allodynia
NMDA receptor-independent synaptic plasticity in the central amygdala in the rat model of neuropathic pain **127**, 161
Tampa scale for kinesiophobia
Fear of movement/(re)injury in chronic pain: A psychometric assessment of the original English version of the Tampa scale for kinesiophobia (TSK) **127**, 42
Temporomandibular disorders
Mediators, moderators, and predictors of therapeutic change in cognitive–behavioral therapy for chronic pain **127**, 276
Tension type headache
Stereotyped topography of different elevated contingent negative variation components in children with migraine without aura points towards a subcortical dysfunction **127**, 221
TMD
Analgesic action of gabapentin on chronic pain in the masticatory muscles: A randomized controlled trial **127**, 151
TMD
Mediators, moderators, and predictors of therapeutic change in cognitive–behavioral therapy for chronic pain **127**, 276
Tolerance
Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice **127**, 129
Transcutaneous electrical stimulus
Pain relief by applying transcutaneous electrical nerve stimulation (TENS) on acupuncture points during the first stage of labor: A randomized double-blind placebo-controlled trial **127**, 214
Upper limb pain disorder
Comparison of vibration perception thresholds in individuals with diffuse upper limb pain and carpal tunnel syndrome **127**, 263

Use-dependent block
Preferential block of inactivation-deficient Na^+ currents by capsaicin reveals a non-TRPV1 receptor within the Na^+ channel **127**, 73
Vibration perception
Comparison of vibration perception thresholds in individuals with diffuse upper limb pain and carpal tunnel syndrome **127**, 263
Visual analogue scale
Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: A double blind sham controlled randomized clinical trial **127**, 173
Voltage-gated sodium channel
Preferential block of inactivation-deficient Na^+ currents by capsaicin reveals a non-TRPV1 receptor within the Na^+ channel **127**, 73
Whiplash
An experimental investigation on attentional interference by threatening fixations of the neck in patients with chronic whiplash syndrome **127**, 121

Pain 127 (2007) 313–314

PAIN

www.elsevier.com/locate/pain

Contents to Volume 127 (2007)

Numbers 1,2 – January 2007

EDITORIALS

The amygdala: Different pains, different mechanisms
V. Neugebauer (USA) 1

Pulsed radiofrequency: A novel treatment for chronic cervical radicular pain?
T.S. Jensen (Denmark) 3

TOPICAL REVIEW

Epidemiology of chronic pain, from the laboratory to the bus stop: time to add understanding of biological mechanisms to the study of risk factors in population-based research?
B.H. Smith, G.J. Macfarlane, N. Torrance (UK) 5

RESEARCH PAPERS

Chemical radiculitis
B. Peng, W. Wu, Z. Li, J. Guo, X. Wang (China) 11

Amygdala GABA-A receptor involvement in mediating sensory-discriminative and affective-motivational pain responses in a rat model of peripheral nerve injury
L.H. Pedersen, J. Scheel-Krüger, G. Blackburn-Munro (Denmark) 17

The relationship of adult attachment dimensions to pain-related fear, hypervigilance, and catastrophizing
L.A. McWilliams, G.J.G. Asmundson (Canada) 27

Persistent pain and uncomfortable sensations in persons with multiple sclerosis
O. Hadjimichael, R.D. Kerns, M.A. Rizzo, G. Cutter, T. Vollmer (USA) 35

Fear of movement/(re)injury in chronic pain: A psychometric assessment of the original English version of the Tampa scale for kinesiophobia (TSK)
D.J. French, C.R. France, F. Vigneau, J.A. French, R.T. Evans (Canada, USA) 42

Psychosocial factors associated with pain intensity, pain-related interference, and psychological functioning in persons with multiple sclerosis and pain
T.L. Osborne, M.P. Jensen, D.M. Ehde, M.A. Hanley, G. Kraft (USA) 52

Placebo analgesia is accompanied by large reductions in pain-related brain activity in irritable bowel syndrome patients
D.D. Price, J. Craggs, G.N. Verne, W.M. Perlstein, M.E. Robinson (USA) 63

Preferential block of inactivation-deficient Na^+ currents by capsaicin reveals a non-TRPV1 receptor within the Na^+ channel
S.-Y. Wang, J. Mitchell, G.K. Wang (USA) 73

Anti-allodynic effects of peripheral delta opioid receptors in neuropathic pain
N. Kabli, C.M. Cahill (Canada) 84

Determining behavioural and physiological responses to pain in infants at risk for neurological impairment
B. Stevens, P. McGrath, S. Gibbins, J. Beyene, L. Breau, C. Camfield, A. Finley, L. Franck, A. Howlett, C. Johnston, P. McKeever, K. O'Brien, A. Ohlsson, J. Yamada (Canada, UK) 94

Impact of low back pain on functional limitations, depressed mood and quality of life in patients with rheumatoid arthritis
R. Kothe, Th. Kohlmann, T. Klink, W. Rüther, R. Klinger (Germany) 103

Activation of cyclin-dependent kinase 5 (Cdk5) in primary sensory and dorsal horn neurons by peripheral inflammation contributes to heat hyperalgesia
Y.-R. Yang, Y. He, Y. Zhang, Y. Li, Y. Li, Y. Han, H. Zhu, Y. Wang (PR China) 109

An experimental investigation on attentional interference by threatening fixations of the neck in patients with chronic whiplash syndrome
K. Vangronsveld, S. Van Damme, M. Peters, J. Vlaeyen, M. Goossens, G. Crombez (The Netherlands, Belgium) 121

Determination of the role of conventional, novel and atypical PKC isoforms in the expression of morphine tolerance in mice
F.L. Smith, B.H. Gabra, P.A. Smith, M.C. Redwood, W.L. Dewey (USA) 129

Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years
C.L. von Baeyer, L.J. Spagrud (Canada) 140

Analgesic action of gabapentin on chronic pain in the masticatory muscles: A randomized controlled trial
P. Kimos, C. Biggs, J. Mah, G. Heo, S. Rashiq, N.M.R. Thie, P.W. Major (Canada) 151

doi:10.1016/S0304-3959(06)00707-X

NMDA receptor-independent synaptic plasticity in the central amygdala in the rat model of neuropathic pain
R. Ikeda, Y. Takahashi, K. Inoue, F. Kato (Japan) 161
Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: A double blind sham controlled randomized clinical trial
J. Van Zundert, J. Patijn, A. Kessels, I. Lamé, H. van Suijlekom, M. van Kleef (The Netherlands, Belgium) 173
Differential brain opioid receptor availability in central and peripheral neuropathic pain
J. Maarrawi, R. Peyron, P. Mertens, N. Costes, M. Magnin, M. Sindou, B. Laurent, L. Garcia-Larrea (France) 183

LETTERS TO THE EDITOR

Response to Editorial on Sharav and Tal (2006)
Y. Sharav, M. Tal (Israel) 195
Response to letter by Sharav and Tal
D.D. Price (USA) 195

Number 3 – February 2007

EDITORIAL

Getting a handle on process and change in CBT for chronic pain
S. Morley, F.J. Keefe (UK) 197

TOPICAL REVIEW

Using screening tools to identify neuropathic pain
M.I. Bennett, N. Attal, M.M. Backonja, R. Baron, D. Bouhassira, R. Freynhagen, J. Scholz, T.R. Tölle, H.-U. Wittchen, T.S. Jensen (UK, France, USA, Germany, Denmark) 199

RESEARCH PAPERS

Higher levels of pain readiness to change and more positive affect reduce pain reports – A weekly assessment study on arthritis patients
E.B. Strand, R.D. Kerns, A. Christie, K. Haavik-Nilsen, M. Klokkerud, A. Finset (Norway, USA) 204
Pain relief by applying transcutaneous electrical nerve stimulation (TENS) on acupuncture points during the first stage of labor: A randomized double-blind placebo-controlled trial
A.-S. Chao, A. Chao, T.-H. Wang, Y.-C. Chang, H.-H. Peng, S.-D. Chang, A. Chao, C.-J. Chang, C.-H. Lai, A.M.K. Wong (Taiwan) 214
Stereotyped topography of different elevated contingent negative variation components in children with migraine without aura points towards a subcortical dysfunction
S. Bender, M. Weisbrod, F. Resch, R. Oelkers-Ax (Germany) 221
Pain-related catastrophizing and perceived social responses: Inter-relationships in the context of chronic pain
L.F. Buenaver, R.R. Edwards, J.A. Haythornthwaite (USA) 234
Does sleep quality predict pain-related disability in chronic pain patients? The mediating roles of depression and pain severity
F. Naughton, P. Ashworth, S.M. Skevington (UK) 243
NMDA receptor-mediated activation of medullary pro-nociceptive neurons is required for secondary thermal hyperalgesia
M. Xu, C.J. Kim, M.J. Neubert, M.M. Heinricher (USA, South Korea) 253
Comparison of vibration perception thresholds in individuals with diffuse upper limb pain and carpal tunnel syndrome
A.T. Tucker, P.D. White, E. Kosek, R.M. Pearson, M. Henderson, A.R. Coldrick, E.D. Cooke, B.L. Kidd (UK, Sweden) 263
Sensorimotor integration in Complex Regional Pain Syndrome: A transcranial magnetic stimulation study
A.J. Turton, C.S. McCabe, N. Harris, S.R. Filipovic (UK) 270
Mediators, moderators, and predictors of therapeutic change in cognitive–behavioral therapy for chronic pain
J.A. Turner, S. Holtzman, L. Mancl (USA) 276
Pharmacological and histopathological characterization of a hyperalgesia model induced by freeze lesion
A. Schmidtko, M. Burian, K. Altis, K. Hardt, C. Angioni, R. Schmidt, M. Podda, G. Geisslinger (Germany) 287

CLINICAL NOTE

Catecholamine-induced excitation of nociceptors in sympathetically maintained pain
E. Jørum, K. Ørstavik, R. Schmidt, B. Namer, R.W. Carr, G. Kvarstein, M. Hilliges, H. Handwerker, E. Torebjörk, M. Schmelz (Norway, Germany, Sweden) 296

LETTERS TO THE EDITOR

Response to PAIN Editorial re: Boyle et al. (2006)
E.M. Boyle, Y. Freer, C.M. Wong, N. McIntosh, K.J.S. Anand (UK, USA) 302
Response to Letter to the Editor by Boyle, Freer, Wong, McIntosh and Anand
R.R. Pillai Riddell, B.J. Stevens (Canada) 302

Author Index to Volume 127 305
Subject Index to Volume 127 308
Contents to Volume 127 313